

SOCKETS 1/2" 1000V

EGA Master insulated tools comply with IEC 60900 international standard, each one of the pieces being tested at 10,000V (10 times the voltage we certify). They are also tested rigorously according to what the norms establishes: adherence test, impact test, flame propagation test and dielectric penetration test.

 **1.000V**
IEC 60900



MAIN APPLICATION FIELDS

Electrical installation	High Voltage networks	Electric maintenance
Power Plants	Low Voltage networks	Fire-fighters
Electric Stations and substations	Telecommunications	Lighting installation and repair

CAUTION

- 1** Don't ever use tools under voltage if they present pores, fissures, encrusted elements or if the white insulation layer is visible.
- 2** **Insulating floors and safety shoes** are recommended to work under voltage.
- 3** **Avoid contact with water** while working under voltage.
- 4** **Do not ever touch directly any item that may be under voltage.** Use a voltage tester to check first.

SOCKETS 1/2" 1000V

EGA Master offers a wide range of 1000V insulated sockets, both short range and long series offering in turn a large number of additional items, such as adapters, articulated handles, extensions, ratchets, etc.

There are ranges of 1/4 ", 3/8" and 1/2 "square driver for the most demanding professionals.

both in mm and inches

1. Sockets with 6 and 12 edges both in mm and in inches to suit user's needs.



2. Made of chrome-vanadium steel, designed to support high torques with minimum wear out, providing greater durability.

3. The insulation provides maximum adherence and safety against unforeseen circumstances.

4. Un-erasable laser marking.


SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
IEC 60900



	COD							
	74960	8mm	40	14	21	5,0	50	10
	74961	9mm		15				
	74962	10mm		16		6,0		
	74963	11mm		17				
	74964	12mm		18	8,0	55		
	74965	13mm		19				
	74966	14mm		21	10			
	74967	15mm		22		60		
	74968	16mm		24			70	
	74969	17mm		26	23	90		
	74970	18mm	28	26				
	74971	19mm	30		31		14	95
	74972	20mm	32	16				
	74973	21mm	34		140			
	74974	22mm	36			150		
	74975	23mm	38		18		160	
	74976	24mm	40	20		170		
	74977	25mm	42		22		180	
	74978	26mm	44	34		200		
	74979	27mm	46		38		210	
	74980	28mm	48	40		220		
	74981	29mm	50		42		230	
	74982	30mm	52	44		240		
	74983	32mm	54		46		250	
	74984	34mm	56	48		260		
	74985	36mm	58		50		270	
	74986	38mm	60	52		280		
	74987	40mm	62		54		290	
	74988	42mm	64	56		300		
	74989	44mm	66		58		310	
	74990	46mm	68	60		320		
	74991	48mm	70		62		330	
	74992	50mm	72	64		340		
	74993	52mm	74		66		350	
	74994	54mm	76	68		360		
	74995	56mm	78		70		370	
	74996	58mm	80	72		380		
	74997	60mm	82		74		390	
	74998	62mm	84	76		400		
	74999	64mm	86		78		410	
	75000	66mm	88	80		420		
	75001	68mm	90		82		430	
	75002	70mm	92	84		440		
	75003	72mm	94		86		450	
	75004	74mm	96	88		460		
	75005	76mm	98		90		470	
	75006	78mm	100	92		480		
	75007	80mm	102		94		490	
	75008	82mm	104	96		500		
	75009	84mm	106		98		510	
	75010	86mm	108	100		520		
	75011	88mm	110		102		530	
	75012	90mm	112	104		540		
	75013	92mm	114		106		550	
	75014	94mm	116	108		560		
	75015	96mm	118		110		570	
	75016	98mm	120	112		580		
	75017	100mm	122		114		590	
	75018	102mm	124	116		600		
	75019	104mm	126		118		610	
	75020	106mm	128	120		620		
	75021	108mm	130		122		630	
	75022	110mm	132	124		640		
	75023	112mm	134		126		650	
	75024	114mm	136	128		660		
	75025	116mm	138		130		670	
	75026	118mm	140	132		680		
	75027	120mm	142		134		690	
	75028	122mm	144	136		700		
	75029	124mm	146		138		710	
	75030	126mm	148	140		720		
	75031	128mm	150		142		730	
	75032	130mm	152	144		740		
	75033	132mm	154		146		750	
	75034	134mm	156	148		760		
	75035	136mm	158		150		770	
	75036	138mm	160	152		780		
	75037	140mm	162		154		790	
	75038	142mm	164	156		800		
	75039	144mm	166		158		810	
	75040	146mm	168	160		820		
	75041	148mm	170		162		830	
	75042	150mm	172	164		840		
	75043	152mm	174		166		850	
	75044	154mm	176	168		860		
	75045	156mm	178		170		870	
	75046	158mm	180	172		880		
	75047	160mm	182		174		890	
	75048	162mm	184	176		900		
	75049	164mm	186		178		910	
	75050	166mm	188	180		920		
	75051	168mm	190		182		930	
	75052	170mm	192	184		940		
	75053	172mm	194		186		950	
	75054	174mm	196	188		960		
	75055	176mm	198		190		970	
	75056	178mm	200	192		980		
	75057	180mm	202		194		990	
	75058	182mm	204	196		1000		
	75059	184mm	206		198		1010	
	75060	186mm	208	200		1020		
	75061	188mm	210		202		1030	
	75062	190mm	212	204		1040		
	75063	192mm	214		206		1050	
	75064	194mm	216	208		1060		
	75065	196mm	218		210		1070	
	75066	198mm	220	212		1080		
	75067	200mm	222		214		1090	
	75068	202mm	224	216		1100		
	75069	204mm	226		218		1110	
	75070	206mm	228	220		1120		
	75071	208mm	230		222		1130	
	75072	210mm	232	224		1140		
	75073	212mm	234		226		1150	
	75074	214mm	236	228		1160		
	75075	216mm	238		230		1170	
	75076	218mm	240	232		1180		
	75077	220mm	242		234		1190	
	75078	222mm	244	236		1200		
	75079	224mm	246		238		1210	
	75080	226mm	248	240		1220		
	75081	228mm	250		242		1230	
	75082	230mm	252	244		1240		
	75083	232mm	254		246		1250	
	75084	234mm	256	248		1260		
	75085	236mm	258		250		1270	
	75086	238mm	260	252		1280		
	75087	240mm	262		254		1290	
	75088	242mm	264	256		1300		
	75089	244mm	266		258		1310	
	75090	246mm	268	260		1320		
	75091	248mm	270		262		1330	
	75092	250mm	272	264		1340		
	75093	252mm	274		266		1350	
	75094	254mm	276	268		1360		
	75095	256mm	278		270		1370	
	75096	258mm	280	272		1380		
	75097	260mm	282		274		1390	
	75098	262mm	284	276		1400		
	75099	264mm	286		278		1410	
	75100	266mm	288	280		1420		
	75101	268mm	290		282		1430	
	75102	270mm	292	284		1440		
	75103	272mm	294		286		1450	
	75104	274mm	296	288		1460		
	75105	276mm	298		290		1470	
	75106	278mm	300	292		1480		
	75107	280mm	302		294		1490	
	75108	282mm	304	296		1500		
	75109	284mm						

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
IEC 60900



COD		L mm	A	B	C	gr.
73400	8mm		14			
73401	9mm		15		5,0	50
73402	10mm		16		6,0	
73403	11mm		17		7,0	
73404	12mm		18	21	8,0	55
73405	13mm		19			
73406	14mm		21			
73407	15mm		22		10	60
73408	16mm	40	24	22		70
73409	17mm		26	23		
73410	18mm		28	26	12	90
73411	19mm		30			95
73412	20mm		32	31		110
73413	21mm		34		16	140
73414	22mm		36		18	150
74991	23mm		38	34	20	160
74992	24mm		40		22	170
74993	25mm	44	42			180
73417	26mm		44			200
74994	27mm		46			210
74995	28mm		48			
73420	29mm		50			
73421	30mm		52			
73421	32mm		54			


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
IEC 60900



COD		L mm	A	B	C	gr.
75000	5/16"		15			45
75001	3/8"		16			50
75002	7/16"		17			55
75003	1/2"		18	22	14	60
75004	9/16"		21			
75005	19/32"		22			
75006	5/8"		24	23	16	70
75007	21/32"		26	24		80
75008	11/16"		28	26		90
75009	3/4"		30	28	20	110
75010	25/32"		32			120
75011	13/16"		34			130
75012	7/8"		36	30		140
75013	15/16"		38		24	145
75014	31/32"		40			160
75015	1"	42	42			170
75016	1.1/16"		44			180
75017	1.1/8"		46			190
75018	1.3/16"		48			200
75019	1.1/4"		50			

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


SOCKET WRENCHES 1/2"

1/2"

Inch.



1.000V
IEC 60900



COD	AF	L mm	A	B	C	gr.
73491	5/16"	38	15	22	14	45
73492	3/8"		16			50
73493	7/16"		17			55
73494	1/2"		18			60
73495	9/16"		21			70
73496	19/32"		22			80
73497	5/8"	42	24	26	16	90
73498	21/32"		24			110
73499	11/16"		26			120
73500	3/4"		28			130
75025	25/32"		30			140
73501	13/16"		32			145
73502	7/8"	45	36	30	20	160
73503	15/16"		38			170
75028	31/32"		40			180
75029	1"		42			200
75030	1.1/16"		44			
75031	1.1/8"		46			
75032	1.3/16"		48			
75033	1.1/4"		50			

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

TECHNICAL SPECIFICATIONS

MATERIAL	Socket wrenches	Cr-V
	Isolation	PP
MINIMUM HARDNESS	39 HRc	
FINISH	Isolated orange RAL 2009	


LONG SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
IEC 60900



COD	AF	L mm	A	B	gr.
73430	10mm	75	17	9,0	140
73431	11mm		18	11	
73432	12mm		19	12	
73433	13mm		21	12	
73434	14mm		22	15	150
73435	15mm		23		
73436	16mm		24		
73437	17mm		26		
73438	18mm		28	18	180
73439	19mm		30		
73440	21mm		32		
73441	22mm		34		
73442	23mm		36	21	200
73443	24mm		38		
75205	26mm		40		
75206	27mm		42		
75207	28mm	100	44	24	250
75208	29mm		46		
75209	30mm		48		
75210	32mm		50		

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124


LONG SOCKET WRENCHES 1/2"

1/2"

mm



1.000V
IEC 60900



COD									
75180	10mm	75	17	9,0	140	10			
75181	11mm		18	11					
75182	12mm		19	12					
75183	13mm		21						
75184	14mm		22	15	150				
75185	15mm		23						
75186	16mm		24						
75187	17mm		26	18	180				
75188	18mm		28						
75189	19mm		30						
75191	21mm		32		200				
75192	22mm		34	24					
75193	23mm		36						
75194	24mm		38						
75195	26mm		40	27	250				
75196	27mm		42						
75197	28mm		42						
75198	29mm		42						
75199	30mm		42						
75200	32mm		42	30	450		520		


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
IEC 60900



COD						
73378	3/8"	75	17	6,0	140	10
73379	7/16"		19	7,0		
73380	1/2"		20	8,0		
73381	9/16"		22	10		
73382	5/8"		24	15	150	
73383	11/16"		26	18		
73384	3/4"		28	20		
73385	13/16"		30	21		
73386	7/8"		32	24	250	
73387	15/16"				290	


UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

1/2"

Inch.



1.000V
IEC 60900



COD						
75215	3/8"	75	17	6,0	140	10
75216	7/16"		19	7,0		
75217	1/2"		20	8,0		
75218	9/16"		22	10		
75219	5/8"		24	15	150	
75220	11/16"					
75221	3/4"		26	18	170	
75222	13/16"		28		200	
75223	7/8"		30	21	250	
75224	15/16"		32	24	290	
75225	1"	36	330			
75226	1.1/16"		380			
75227	1.1/8"		410			

UNE 16501:2009 (ISO 1711-1) Cr-V DIN 3124

TECHNICAL SPECIFICATIONS

MATERIAL	Socket wrenches	Cr-V
	Isolation	PVC
MINIMUM HARDNESS	39 HRc	
FINISH	Isolated orange	

REVERSIBLE RATCHET HANDLE



COD					
73447	1/2"	260	650	6	1

EXTENSION



COD					
73445	1/2"	125	260	5	1
73446		250	360		

T HANDLE



COD					
73448	1/2"	200	600	6	1

HEXAGONAL SOCKET



COD			
73455	4mm	75	10
73456	5mm	75	
73457	6mm	80	
73458	7mm		
73459	8mm	85	
73460	9mm	90	
73461	10mm	95	
73462	11mm	135	
73463	12mm		
73464	13mm		
73465	14mm		
73468	17mm	160	

ADAPTER



COD				
73286	1/2"-1/4"	80	5	1
73449	1/2"-3/8"			

SOCKET WRENCHES SETS 1/2"

1/2"

10 Pcs.



COD



pcs.

Kg.



79074

51053

10


mm

3

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
8	Sockets 1000V	8-10-13-17-18-19-21-22 mm (1/2")
1	Extension 1000V	73445 (1/2")

1/2"

12 Pcs.



COD



pcs.

Kg.



79479

51053

12


inch

3.2

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
2	Extension 1000V	73445 / 73446 (1/2")
9	Sockets 1000V	1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

1/2"

12 Pcs.
LONG SERIE



COD



pcs.

Kg.



79480

51054

12

inch

6.6

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
2	Extension 1000V	73445 / 73446 (1/2")
9	(L.S.) Sockets 1000V	1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

SOCKET WRENCHES SETS 1/2"

1/2"

14 Pcs.



COD



pcs.



79075

51053

14


mm

3,5

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
13	Sockets 1000V	10-12-13-14-15-16-17-18-19-21-22-23-27 mm (1/2")
1	Extension 1000V	73446 (1/2")

1/2"

15 Pcs.
LONG SERIE



COD



pcs.



79076

51054

15


mm

7

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
13	(L.S.) Sockets 1000V	10-12-13-14-15-16-17-18-19-21-22-23-27 mm (1/2")
1	Extension 1000V	73446 (1/2")

1/2"

18 Pcs.



COD



pcs.



73017

51053

18

mm


3

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
1	Extension 1000V	73445 (1/2")
15	Sockets 1000V	6-7 mm (1/4") 8-9-10-11-12-13-14-16-17-18-19-21-23 mm (1/2")
1	Adapter 1000V	1/2"-1/4"

SOCKET WRENCHES SETS 1/2"

1/2"

31 Pcs.



COD



pcs.



79077	51054	31	mm	10
-------	-------	----	----	----

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
23	Sockets 1000V	8-9-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
5	Hexagonal sockets 1000V	8-10-12-14-17 mm (1/2")
1	Extension 1000V	73445 (1/2")
1	T Handle 1000V	73448 (1/2")

1/2"

32 Pcs.



COD



pcs.




73016	51053	32	mm	7,3
-------	-------	----	----	-----

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
1	Extension 1000V	73445 (1/2")
24	Sockets 1000V	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
5	Hexagonal sockets 1000V	8-10-12-14-17 mm (1/2")

SOCKET WRENCHES SETS 1/2"

1/2"

**37 Pcs.
LONG SERIE
AND STANDARD**



COD		pcs.		Kg.
79078	51054	37	mm	10,2

Pcs.	Description	Composition
1	Ratchet 1000V	73447 (1/2")
23	Sockets 1000V	8-9-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm (1/2")
4	(L.S.) Sockets 1000V	10-13-17-19 mm (1/2")
1	Adapter 1000V	1/2"-3/8"
6	Hexagonal sockets 1000V	6-8-11-12-13-14 mm (1/2")
1	Extension 1000V	73445 (1/2")
1	T Handle 1000V	73448 (1/2")