

TECHNICAL FILE

ADJUSTABLE WRENCHES

EGA Master manufactures the widest range of adjustable wrenches in the world, with all kinds of sizes, types, and exclusive innovations: adjustable, combi, quick action, with or without Comfort handle, with lateral nut, 1000V safety insulated, left turn, wide opening, Titacrom or phosphated.

Quick action system enables fast positioning.



Combi system for working with polygonal elements, pipes or rounded-off nuts.

Maximum opening and minimum jaw thickness for best accessibility.

TITACROM - special surface treatment, rust-proof and anti-chipping off, it is non-reflecting and with very attractive finishing.


Comfort bi-component anti-slippery handle for best comfortability and great attractive design.

Heavy Duty Performance to provide maximum resistance to high torque.



ADJUSTABLE WRENCHES


TITACROM®



COD	L	A	B	C	D	WEIGHT (gr)
61109	4"	13	34	13	5,6	70
61110	6"	20	47	19	6,5	150
61111	8"	25	57	24	7,2	285
61112	10"	30	70	29	8,4	515
61113	12"	35	84	33,5	10,2	850

COD	L	A	B	C	D	WEIGHT (gr)
61114	15"	44	103	45	13	1245
61115	18"	50,5	120	55	14	1960
61116	24"	60	122	62	15	3100
62980	30"	76.1	180	85	17.5	5600

TITACROM® COMFORT




COD	L	A	B	C	D	WEIGHT (gr)
61906	6"	20	47	19	6,5	180
61907	8"	25	57	24	7,2	335
61908	10"	30	70	29	8,4	595
61909	122	35	84	33,5	10,2	900


COD	L	A	B	C	D	WEIGHT (gr)
61370	15"	44	103	145	13	1250
61371	18"	50,5	120	55	14	2050
61372	24"	60	122	62	15	3150

TITACROM® 1000V

1.000V
IEC 900 resp.
DIN EN 60 900




COD	L	A	B	C	D	WEIGHT (gr)
61984	6"	20	47	19	6,5	200
61985	8"	25	57	24	7,2	365
61986	10"	30	70	29	8,4	615
61987	12"	35	84	33,5	10,2	970



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61136	4"	13	34	13	5,6	70
61117	6"	20	47	19	6,5	160
61118	8"	25	57	24	7,2	310
61119	10"	30	70	29	8,4	550
61120	12"	35	84	33,5	10,2	850

COD	L	A	B	C	D	WEIGHT (gr)
61121	15"	44	103	45	13	1200
61122	18"	50,5	120	55	14	2000
61123	242	60	122	62	15	3100

COMFORT




PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61898	6"	20	47	19	6,5	180
61910	8"	25	57	24	7,2	335
61911	10"	30	70	29	8,4	595
61912	12"	35	84	33,5	10,2	900

COD	L	A	B	C	D	WEIGHT (gr)
61373	15"	44	103	45	13	1250
61374	18"	50,4	120	55	14	2050
61375	24"	60	122	62	15	3150

1000V

1.000V
IEC 900 resp.
DIN EN 60 900




PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61988	6"	20	47	19	6,5	195
61989	8"	25	57	24	7,2	370
61990	10"	30	70	29	8,4	645
61991	12"	35	84	33,5	10,2	1030

BASQUE


PATENTED
QUICK ACTION SYSTEM

TITACROM®



COD	L	A	B	C	D	WEIGHT (gr)
61920	6"	20	47	19	6,5	160
61921	8"	25	57	24	7,2	310
61922	10"	30	70	29	8,4	550
61923	12"	35	84	33,5	10,2	850


TITACROM® COMFORT



COD	L	A	B	C	D	WEIGHT (gr)
61867	6"	20	47	19	6,5	180
61924	8"	25	57	24	7,2	335
61925	10"	30	70	29	8,4	595
61926	12"	35	84	33,5	10,2	900

TITACROM® 1000V


1.000V
IEC 900 resp.
DIN EN 60 900




COD	L	A	B	C	D	WEIGHT (gr)
61992	6"	20	47	19	6,5	195
61993	8"	25	57	24	7,2	370
61994	10"	30	70	29	8,4	645
61995	12"	35	84	33,5	10,2	1030

BASQUE

PATENTED
QUICK ACTION SYSTEM



TITACROM®




COD	L	A	B	C	D	WEIGHT (gr)
61927	6"	20	47	19	6,5	160
61928	8"	25	57	24	7,2	310
61929	10"	30	70	29	8,4	550
61930	12"	35	84	33,5	10,2	850

BASQUE

PATENTED
QUICK ACTION SYSTEM


TITACROM® COMFORT



COD	L	A	B	C	D	WEIGHT (gr)
61868	6"	20	47	19	6,5	180
61931	8"	25	57	24	7,2	335
61932	10"	30	70	29	8,4	595
61933	12"	35	84	33,5	10,2	900

TITACROM® 1000V

1.000V
IEC 900 resp.
DIN EN 60 900





COD	L	A	B	C	D	WEIGHT (gr)
61996	6"	20	47	19	6,5	195
61997	8"	25	57	24	7,2	370
61998	10"	30	70	29	8,4	645
61999	12"	35	84	33,5	10,2	1030

COMBI




TITACROM®



COD	L	A	B	C	D	E	WEIGHT (gr)
61942	10"	30	68,5	29	8,4	1.1/4	550
61943	12"	35	82	33,5	10,2	1.1/2	850


TITACROM® COMFORT

 **1.000V**
IEC 900 resp.
DIN EN 60 900




COD	L	A	B	C	D	E	WEIGHT (gr)
61944	10"	30	68,5	29	8,4	1.1/4	600
61945	12"	35	82	33,5	10,2	1.1/2	900

TITACROM®




COD	L	A	B	C	D	E	WEIGHT (gr)
61976	10"	30	68,5	29	8,4	1.1/4	645
61977	12"	35	82	33,5	10,2	1.1/2	1030

COMBI



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61946	10"	30	68,5	29	8,4	1.1/4	550
61947	12"	35	82	33,5	10,2	1.1/2	850


COMFORT



COD	L	A	B	C	D	E	WEIGHT (gr)
61948	10"	30	68,5	29	8,4	1.1/4	600
61949	12"	35	82	33,5	10,2	1.1/2	900

1000V

1.000V
IEC 900 resp.
DIN EN 60 900





COD	L	A	B	C	D	E	WEIGHT (gr)
61978	10"	30	68,5	29	8,4	1.1/4	645
61979	12"	35	82	33,5	10,2	1.1/2	1030

BASQUE COMBI

PATENTED
QUICK ACTION SYSTEM




TITACROM®



COD	L	A	B	C	D	WEIGHT (gr)
61934	10"	30	68,5	29	8,4	550
61935	12"	35	82	33,5	10,2	850


TITACROM® COMFORT



COD	L	A	B	C	D	E	WEIGHT (gr)
61936	10"	30	68,5	29	8,4	1.1/4	600
61937	12"	35	82	33,5	10,2	1.1/2	900

TITACROM® 1000V


⚠ **1.000V**
IEC 900 resp.
DIN EN 60 900



COD	L	A	B	C	D	E	WEIGHT (gr)
61128	10"	30	68,5	29	8,4	1.1/4	645
61129	12"	35	82	33,5	10,2	1.1/2	1030


BASQUE COMBI

PATENTED
QUICK ACTION SYSTEM



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61938	10"	30	68,5	29	8,4	1.1/4	550
61939	12"	35	82	33,5	10,2	1.1/2	850


COMFORT



COD	L	A	B	C	D	E	WEIGHT (gr)
61940	10"	30	68,5	29	8,4	1.1/4	600
61941	12"	35	82	33,5	10,2	1.1/2	900



1000V

1.000V
IEC 900 resp.
DIN EN 60 900




COD	L	A	B	C	D	E	WEIGHT (gr)
61130	10"	30	68,5	29	8,4	1.1/4	645
61131	12"	35	82	33,5	10,2	1.1/2	1030

TITACROM®




PLUMBINGWRENCH						
COD	L	A	B	C	D	WEIGHT (gr)
61229	6"	28	60	35,5	5,9	180
61213	8"	33	73	41	6,3	430

TITACROM® COMFORT




COD	L	A	B	C	D	WEIGHT (gr)
61230	6"	28	60	35,5	5,9	195
61214	8"	33	73	41	6,3	450



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61231	6"	28	60	35,5	5,9	180
61232	8"	33	73	41	6,3	430

COMFORT




PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61232	6"	28	60	35,5	5,9	195
61216	8"	33	73	41	6,3	450

BASQUE

BASQUE PLUMBINGWRENCH


PATENTED
QUICK ACTION SYSTEM

TITACROM®




COD	L	A	B	C	D	WEIGHT (gr)
61233	6"	28	60	35,5	5,9	180
61217	8"	33	73	41	6,3	430

TITACROM® COMFORT




COD	L	A	B	C	D	WEIGHT (gr)
61234	6"	28	60	35,5	5,9	195
61218	8"	33	73	41	6,3	450



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61235	6"	28	60	35,5	5,9	180
61219	8"	33	73	41	6,3	430

COMFORT



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61236	6"	28	60	35,5	5,9	195
61220	8"	33	73	41	6,3	450


COMBI

COMBI PLUMBING WRENCH

PATENTED




TITACROM®




COD	L	A	B	C	D	E	WEIGHT (gr)
61237	8"	33	73	41	6,3	1.1/4	430

TITACROM® COMFORT




COD	L	A	B	C	D	E	WEIGHT (gr)
61238	8"	33	73	41	6,3	1.1/4	450



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61239	8"	33	73	41	6,3	1.1/4	430

COMFORT



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61240	8"	33	73	41	6,3	1.1/4	450


BASQUE COMBI

BASQUE COMBI PLUMBING WRENCH

PATENTED
 QUICK ACTION SYSTEM




TITACROM®




COD	L	A	B	C	D	E	WEIGHT (gr)
61221	8"	33	73	41	6,3	1.1/4	430

TITACROM® COMFORT




COD	L	A	B	C	D	E	WEIGHT (gr)
61222	8"	33	73	41	6,3	1.1/4	450



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61223	8"	33	73	41	6,3	1.1/4	430


COMFORT



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61224	8"	33	73	41	6,3	1.1/4	450

ADJUSTABLE WRENCHES


SCANDINAVIAN TYPE / LEFT TURN



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
60549	4"	13	34	13	5,6	70
60550	6"	20	47	19	6,5	160
60551	8"	25	57	24	7,2	310
60552	10"	30	70	29	8,4	550
60553	12"	35	84	33,5	10,2	850

COD	L	A	B	C	D	WEIGHT (gr)
60554	15"	44	103	45	13	1200
60555	18"	50,5	120	55	14	2000
60556	24"	60	122	62	15	3100


COMFORT



COD	L	A	B	C	D	WEIGHT (gr)
60548	6"	20	47	19	6,5	180
60557	8"	25	57	24	7,2	335
60558	10"	30	70	29	8,4	595
60559	12"	35	84	33,5	10,2	900

COD	L	A	B	C	D	WEIGHT (gr)
60560	15"	44	103	45	13	1200
60561	18"	50,4	120	55	14	2000
60562	24"	60	122	62	15	3150

1000V





COD	L	A	B	C	D	WEIGHT (gr)
60563	6"	20	47	19	6,5	195
60564	8"	25	57	24	7,2	370
60565	10"	30	70	29	8,4	645
60566	12"	35	84	33,5	10,2	1030

BASQUE


BASQUE SCANDINAVIAN TYPE / LEFT TURN

PATENTED
QUICK ACTION SYSTEM



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
60567	6"	20	47	19	6,5	160
60568	8"	25	57	24	7,2	310
60569	10"	30	70	29	8,4	550
60570	12"	35	84	33,5	10,2	850


COMFORT



COD	L	A	B	C	D	WEIGHT (gr)
60547	6"	20	47	19	6,5	180
60571	8"	25	57	24	7,2	335
60572	10"	30	70	29	8,4	595
60573	12"	35	84	33,5	10,2	900

1000V

1.000V
IEC 900 resp.
DIN EN 60 900




COD	L	A	B	C	D	WEIGHT (gr)
60574	6"	20	47	19	6,5	195
60575	8"	25	57	24	7,2	370
60576	10"	30	70	29	8,4	645
60577	12"	35	84	33,5	10,2	1030

COMBI

COMBI SCANDINAVIAN TYPE / LEFT TURN


PATENTED



PHOSPHATED

COD	L	A	B	C	D	E	WEIGHT (gr)
61241	10"	30	68,5	29	8,4	1.1/4	600
61242	12"	35	82	33,5	10,2	1.1/2	900


COMFORT



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61243	10"	30	68,5	29	8,4	1.1/4	600
61244	12"	35	82	33,5	10,2	1.1/2	900

1000V

1.000V
IEC 900 resp.
DIN EN 60 900





PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61245	10"	30	68,5	29	8,4	1.1/4	645
61246	12"	35	82	33,5	10,2	1.1/2	1030

BASQUE COMBI


BASQUE COMBI SCANDINAVIAN TYPE / LEFT TURN

PATENTED
QUICK ACTION SYSTEM



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
60584	10"	30	68,5	29	8,4	1.1/4	550
60585	12"	35	82	33,5	10,2	1.1/2	850


COMFORT



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
60586	10"	30	68,5	29	8,4	1.1/4	600
60587	12"	35	82	33,5	10,2	1.1/2	900

1000V

1.000V
IEC 900 resp.
DIN EN 60 900



EGA Master S.A.



PHOSPHATED

COD	L	A	B	C	D	E	WEIGHT (gr)
60588	10"	30	68,5	29	8,4	1.1/4	645
60589	12"	35	82	33,5	10,2	1.1/2	1030

ADJUSTABLE WRENCHES


SCANDINAVIAN TYPE PLUMBING WRENCH / LEFT TURN

WIDE OPENING ADJUSTABLES



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61248	6"	28	39,6	35,5	5,9	180
61252	8"	33	73	41	6,3	430

COMFORT




PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61249	6"	28	39,6	35,5	5,9	195
61253	8"	33	73	41	6,3	450

BASQUE


BASQUE SCANDINAVIAN TYPE PLUMBINGWRENCH

PATENTED
QUICK ACTION SYSTEM



PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61250	6"	28	39,6	35,5	5,9	180
61254	8"	33	73	41	6,3	430

COMFORT





PHOSPHATED						
COD	L	A	B	C	D	WEIGHT (gr)
61251	6"	28	39,6	35,5	5,9	195
61255	8"	33	73	41	6,3	450

COMBI

COMBI SCANDINAVIAN TYPE PLUMBING WRENCH


PATENTED



PHOSPHATED

COD	L	A	B	C	D	E	WEIGHT (gr)
61256	8"	25	57	24	7,2	1.1/4	430

COMFORT





PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61257	8"	25	57	24	7,2	1.1/4	450

BASQUE COMBI

BASQUE COMBI SCANDINAVIAN TYPE PLUMBING WRENCH


PATENTED
QUICK ACTION SYSTEM



PHOSPHATED

COD	L	A	B	C	D	E	WEIGHT (gr)
61258	8"	25	57	24	7,2	1.1/4	430



COMFORT



PHOSPHATED							
COD	L	A	B	C	D	E	WEIGHT (gr)
61259	8"	25	57	24	7,2	1.1/4	450



ADJUSTABLE WRENCHES

LATERAL NUT



COD	L	A	B	C	D	WEIGHT (gr)
61057	6"	19,5	54,1	19	8,5	180
61058	8"	24	62,4	24	9,5	310
61059	10"	30	78,5	29	11,1	520
61060	12"	36	93,4	33,5	12,7	885


COMFORT



COD	L	A	B	C	D	WEIGHT (gr)
61061	8"	24	64,2	24	9,5	310
61062	10"	30	78,5	29	11,1	520
61063	12"	36	93,4	33,5	12,7	885

1000V

1.000V
IEC 900 resp.
DIN EN 60 900



COD	L	A	B	C	D	WEIGHT (gr)
61132	6"	19,5	54,1	19	8,5	200
61333	8"	24	64,2	24	9,5	400
61134	10"	30	78,5	29	11,1	600
61135	12"	36	93,4	33,5	12,7	1000

DISPLAYS

UNIQUE PLUS DIN 3117

UN.			COD: 69411
6	61110	6"	
9	61111	8"	
9	61112	10"	
6	61907	8"	
6	61908	10"	

UN.			COD: 69412
6	61117	6"	
9	61118	8"	
9	61119	10"	
6	61910	8"	
6	61911	10"	

UN.			COD: 69415
6	61110	6"	
6	61111	8"	
6	61112	10"	
6	61057	6"	
6	61058	8"	
6	61059	10"	



UN.			COD: 69435
6	61110	6"	
6	61111	8"	
6	61112	10"	
6	61113	12"	
6	61936	10"	
6	61937	12"	
6	61057	6"	
6	61058	8"	
6	61059	10"	
6	61060	12"	



UN.			COD: 69437
6	61110	6"	
6	61111	8"	
12	61112	10"	
6	61113	12"	
6	61907	8"	
6	61908	10"	
6	61909	12"	
6	61936	10"	
6	61937	12"	



UN.			COD: 69439
6	61117	6"	
6	61118	8"	
12	61119	10"	
6	61120	12"	
6	61910	8"	
6	61911	10"	
6	61912	12"	
6	61940	10"	
6	61941	12"	

