

TECHNICAL FILE

MEASURING TAPES AND LONG MEASURING TAPES

BMAT

ABS + Elastomer antishock and antiabrasion bimaterial case

CHROME

Unlimited life antishock cases

Doble action safety blocking and braking for maximum confort

ExtraResistant returning spring equipped with RapidChange quick blade replacing system

NYLON

MASTER nylon coating, 15 times more resistant against abrasion and rust.
Dirt anti-adherence and non-reflecting.

10 times more resistant against abrasion and rust. Dirt anti-adherences and non-reflecting.

Tape and all metallic components made in Stainless Steel to work under the most humid environment conditions.

INOX

Doble marking, including another one in the back of the tape for vertical measurements.

Continuous and easy-reading scale for long distances or low light environments.



Matt tape

Bending resistant and highest quality 0.11 mm thickness steel blades, equipped with the most advanced techniques in antireflection, antiabrasion, antiadherence and antirust coating.

Powerful Magnetic Hook

Antishock reinforced hooks for the toughest jobs.

TECHNICAL CHARACTERISTICS

MEASURING TAPES

Material: ABS + Elastomer

Cases antishock

Doble action safety blocking and braking

LONG MEASURING TAPES

Material cases: ABS + Elastomer

MEASURING TAPES			
PLATINUM Q			
COD	L	UD	WEIGHT (gr)
65706	3m x 16mm	mm	110
65707	5m x 19mm		180
65708	8m x 25mm		355
65721	3m/10' x 16mm	mm/inches	110
65722	5m/16' x 19mm		180
65723	8m/26' x 25mm		355



BMAT



MATT NYLON

15 times more resistant against abrasion and rust

Front



Back



PLATINUM Q MAGNET			
COD	L	UD	WEIGHT (gr)
65709	5m x 25mm	mm	210
65710	8m x 25mm		355



BMAT



MATT NYLON

15 times more resistant against abrasion and rust



MAGNET C

INOX					
COD	L	 CLIP			WEIGHT (gr)
65162	3m x 16mm			mm	110
65163	5m x 19mm				210
65355	3m/10' x 16mm			mm / "	110
65356	5m/16' x 19mm				210



BMAT

INOX



NYLON

15 times more resistant against abrasion and rust

All metallic components made in Stainless Steel



EGA Master

ROBUST					
COD	L	 CLIP			WEIGHT (gr)
65164	3m x 19mm			mm	110
65165	5m x 25mm				225
65166	8m x 30mm				420
65357	3m/10' x 19mm			mm / inch	110
65358	5m/16' x 25mm				225
65359	8m/26' x 30mm				420



BMAT



MATT

NYLON

15 times more resistant against abrasion and rust



ROBUST MAGNET						
COD	L		 CLIP			WEIGHT (gr)
65167	5m x 25mm	●	●	mm	●	225
65360	5m/16' x 25mm	●	●	mm / inch	●	225




BMAT



MATT

NYLON

15 times more resistant against abrasion and rust



MAGNET C



EGA Master

Nylon Coated

5m x 25

CHROME					
COD	L	 CLIP			WEIGHT (gr)
65168	3m x 16mm				120
65169	5m x 19mm				240
65170	8m x 25mm				330



CHROME



MATT

URAR

10 times more resistant against abrasion and rust



EGA Master

EGA Master

EGA Master

RALLYE					
COD	L	 CLIP			WEIGHT (gr)
65171	2m x 13mm			mm	105
65172	3m x 16mm				120
65173	5m x 19mm				200
65174	8m x 25mm				330
65361	2m/6' x 13mm			mm / inch	105
65362	3m/10' x 16mm				120
65363	5m/16' x 19mm				200
65364	8m/26' x 25mm				330



BMAT



MATT

URAR

10 times more resistant against abrasion and rust

2 STOPS



LONG MEASURING TAPES			
STEEL TAPE			
COD	L		WEIGHT (gr)
65175	10m/13mm	mm	440
65176	20m/13mm		520
65177	30m/13mm		660



BMAT



NORMAL YELLOW LACQUE-
RED



FIBER GLASS TAPE			
COD	L		WEIGHT (gr)
65178	10m / 13mm	mm	360
65179	20m / 13mm		400
65180	30m / 13mm		440
65181	50m / 13mm		760
65365	10m / 13mm	mm / "	360
65366	20m / 13mm		400
65367	30m / 13mm		440
65368	50m / 13mm		760



BMAT



FIBER GLASS



TANK DIPPING TAPE			
COD	L		WEIGHT (gr)
65182	10m / 13mm	mm	500
65183	20m / 13mm		600
65184	30m / 13mm		700

Tank dipping tape for oleaginous tanks



ALUMINIUM



BLACK TAPE

STEEL TAPE			
COD	L		WEIGHT (gr)
65185	10m / 13mm	mm	400
65186	20m / 13mm		500
65187	30m / 13mm		600
65188	50m / 13mm		700



ALUMINIUM



NORMAL YELLOW LACQUERED

